

	Type	Hits	Search Text	DBs
109	BRS	1592	((high adj elongation) and (steel or metal or metallic)) and (tensile or tension)	USPAT
110	BRS	0	((high adj elongation) and (steel or metal or metallic)) and (tensile or tension)) and tirw and cord	USPAT
111	BRS	1392399	e	USPAT
112	BRS	108	((high adj elongation) and (steel or metal or metallic)) and (tensile or tension)) and tire and cord	USPAT
113	BRS	1	"6374889"	USPAT
114	BRS	16	"5562792"	USPAT
115	BRS	2	"02259176"	EPO; JPO; DERWENT
116	BRS	16	"5562792"	USPAT
117	BRS	22	"4738096"	USPAT
118	BRS	11	"5162067"	USPAT
119	BRS	59	swinehart	EPO; JPO; DERWENT
120	BRS	706	152/527	USPAT
121	BRS	6743	b60c001/00	EPO; JPO; DERWENT
122	BRS	390	b60c001/00 and sidewall	EPO; JPO; DERWENT
123	BRS	828	b60c001/00 and side	EPO; JPO; DERWENT
124	BRS	1134	(b60c001/00 and sidewall) or (b60c001/00 and side)	EPO; JPO; DERWENT
125	BRS	108	((b60c001/00 and sidewall) or (b60c001/00 and side)) and (isoolefin or isobutylene or alkylstyrene or methylstyrene or halogen or halogenated or brominated or chlorinated)	EPO; JPO; DERWENT
126	BRS	0	(b60c001/00 and sidewall) not b60c001/00	EPO; JPO; DERWENT
127	BRS	342	(b60c001/00 and sidewall) not ((b60c001/00 and sidewall) or (b60c001/00 and side)) and (isoolefin or isobutylene or alkylstyrene or methylstyrene or halogen or halogenated or brominated or chlorinated))	EPO; JPO; DERWENT

	Type	Hits	Search Text	DBs
128	BRS	342	((b60c001/00 and sidewall) not (((b60c001/00 and sidewall) or (b60c001/00 and side)) and (isoolefin or isobutylene or alkylstyrene or methylstyrene or halogen or halogenated or brominated or chlorinated)))	EPO; JPO; DERWENT
129	BRS	0	125/dig.12	USPAT
130	BRS	0	125/dig.12.ccls.	USPAT
131	BRS	0	125/dig12.ccls.	USPAT
132	BRS	162	152/dig.12	USPAT
133	BRS	23	152/dig.12 and (isoolefin or isobutylene or alkylstyrene or methylstyrene)	USPAT
134	BRS	343	152/525	USPAT
135	BRS	52	152/525 and (isoolefin or isobutylene or alkylstyrene or methylstyrene)	USPAT
136	BRS	40	(152/525 and (isoolefin or isobutylene or alkylstyrene or methylstyrene)) not (152/dig.12 and (isoolefin or isobutylene or alkylstyrene or methylstyrene))	USPAT
137	BRS	128	rubber and isoolefin and (alkylstyrene or methylstyrene) and copolymer	USPAT
138	BRS	2592	b60c013/00	EPO; JPO; DERWENT
139	BRS	161	b60c013/04	EPO; JPO; DERWENT
140	BRS	2675	b60c013/00 or b60c013/04	EPO; JPO; DERWENT
141	BRS	29	(b60c013/00 or b60c013/04) and (isoolefin or isomonolefin or alkylstyrene or methylstyrene or ethylstyrene or butylstyrene or isobutylene)	EPO; JPO; DERWENT
142	BRS	6743	b60c001/00	EPO; JPO; DERWENT
143	BRS	6	b60c001/00 and bromomethylstyrene	EPO; JPO; DERWENT
144	BRS	127	bromomethylstyrene	USPAT
145	BRS	32	bromomethylstyrene and tire	USPAT

	Type	Hits	Search Text	DBs
146	BRS	32	(bromomethylstyrene and tire) and copolymer and isobutylene	USPAT
147	BRS	210161 5	((bromomethylstyrene and tire) and copolymer and isobutylene) and sidewall or side	USPAT
148	BRS	25	((bromomethylstyrene and tire) and copolymer and isobutylene) and (sidewall or side)	USPAT
149	BRS	119	"5162445"	USPAT
150	BRS	4	"801106"	EPO; JPO; DERWENT
151	BRS	6	"5376438"	USPAT